# Enook LifePo4 Lithium ion Battery 3.2V 50ah 100ah 200ah 300ah Prismatic Lifepo4 Cell

#### **Basic Information**

Place of Origin: CNBrand Name: EVE

Certification: MSDS,UL,UN38.3,CE

Model Number: LF160

• Supply Ability: 10,000pcs per day



#### **Product Specification**

Nominal Voltage: 3.2V

• Usage: Energy Storage System

OEM/ODM: Accepatable

Battery Type: LifePo4 Lithium Ion Battery

Capacity: 2000mAh
 Cycle Life: ≥2000 Times

Max. Charge Voltage: 4.2VMax. Discharge Current: 2.0C

• Protection: Overcharge, Overdischarge, Overcurrent,

Short Circuit

• Highlight: LifePo4 Lithium ion Battery 300ah,

LifePo4 Lithium ion Battery 3.2V, 100ah Prismatic Lifepo4 Cell



#### More Images





# High Capacity Solar Battery Cell Lifepo4 Battery Pack 3.2V 50ah 100ah 300ah Prismatic Lifepo4 Cell 3.2v 200ah

#### **Product Description:**

Items	Specifications				
Material system	Lithium iron phosphate				
Nominal Capacity	280Ah				
Minimum Capacity	280Ah				
Nominal Voltage	3.2V				
Delivery voltage	3.00~3.20V				
Charge Voltage	3.65V±0.03V				
Standard charging method  0.5C constant current,3.65V constant voltage charge to 3.65V,continue charging till current deadline to ≤0.05C					
Standard discharging method	od 0.5C constant current discharge to 2.5V				
Cell Internal Impedance	≤0.7mΩ				
Weight	5.43Kg				





Customized 3.7V lithium battery.
The capacity and dimension can customize according to your request:
1. Customized battery size and shell material.
2. Customized BMS charging and discharging current.
3. Customized connect plug and socket, connector wire.

## **Model List & Parameters**

Product Advantages

Model	Voltage (V)	Capacity (Ah)	Cycles (Ah)	Initial IR (≤mΩ)	Weight (g)	Height (m m )	Width (m m )	Thickness (mm)
Lf32	3.20	32	3500 (0.5C/0.5C)	1.5	730±50	94.3±0.5	148.3±0.8	26.7±0.5
LF50F	3.20	50	1500 (0.5C/0.5C)	2.0	1035±100	129.8±0.5	148.3±0.5	26.7±0.5
LF90K	3.20	90	6000 (1c/1C)	0.5	1994 <u>±</u> 50	200.5±0.5	130.3±0.3	36.7±0.5
LF100MA	3.20	101	2000 (0.5C/0.5C)	0.5	1920±100	118.5±0.5	160.0±0.8	50.1±0.5
LF100LA	3.20	102	5000 (0.5C/0.5C)	0.5	1985±100	118.5±0.5	160.0±0.8	50.1±0.5
Lf105	3.20	105	4000 (0.5C/0.5C)	0.32	1980±60	200.5±0.5	130.3±0.5	36.35±0.5
Lf160	3.20	160	4000 (0.5C/0.5C)	0.21	3000±100	153.5±0.5	173.9±0.5	53.85±0.5
Lf173	3.20	173	4000 (0.5C/0.5C)	0.25	3190±96	207.5±0.5	173.9±0.5	41.06±0.5
Lf230	3.20	230	4000 (0.5C/0.5C)	0.2	4140±124	207.2±0.5	173.9±0.5	53.85±0.5
LF280K	3.20	280	6000 (0.5C/0.5C)	0.25	5420±300	207.2±0.5	173.7+0.5	72.0+1.0
Lf304	3.20	304	4000 (0.5C/0.5C)	0.16	5450±164	207.2±0.5	173.7±0.5	71.70.8

## **Applications** Product Advantages Our products have a very widely range of use E-Bike **Golf Cart Balance E-scooter Power Station RC Drone Solar Power** energy storage **Sightseeing Car** Waterpump **Mobile Headlight Household energy Solar Street Ligth** Stereo Set storage

Packing: Shrink/Blister card/color box/clamshell 1. All shipping goods are 100% inspected and packed very well. 2. Customized package available.

Any way of transportation are available. For samples:delivery within 2-5 days. For Bulk order: Within 10000 pieces, 10-15 days; More than 10000pcs, 10-30days.

### **PACKAGING**

Product Advantages



















## Shipping by


















Professional suggestion to choose the best shipping delivery (Such as EMS DHL TNT UPS and FEDEX) for your commodities according to your demand.

## **Company Introduction**

**Product** Advantages

ShenZhen Enook Technology Co., Ltd company is professional manufacturer and supplier of lithium energy solutions, E-bike battery pack, which focus on manufacturing and designing of lithium cells and battery packs





Quality first is our principle, Satisfying all our customers is our tenet, win-win business is our aim. Dedicated to strict quality control and thoughtful customer service, our experienced staff members are always available to discuss each detailed requirements from customer and ensure full customer satisfaction.







In addition, we have obtained certificates. MSDS UN38.3 MSDS,ROHS,UL.ect. All our products keep selling wellnot only around China, but also inUSA, Philippines, Germany, England, Australia, Russia, France and other Europen and Asia countries





Fast delivery is one of our advantage, selecting a current products from catalogue, or customized products, 3~5 days is the normal time to prepare for the goods, OEM & ODM orders can be acceptable.

Quality is our life, price is our core competence, please don't hesitate to contact us if you have any requirement, we'll provide our best service to you.

Has passed CE certification and ROSH certification, excellent quality the company has obtained a number of patented technologies.

Sincerely look forward to your cooperation.





+8617752866093

wendy@enooktech.com

enookbattery.com

ROOM 1717, JIEZUO BUILDING, NO. 828, SECTION 1, FURONG SOUTH ROAD, TIANXIN DISTRICT, CHANGSHA, HUNAN